

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Help](#)

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)

Results for "(((list and generat* and similarity)<in>metadata))<and>((list and generat* and similari...)"

Your search matched 4 of 15 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order. [e-mail](#)» [Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#) [»](#) Check to search only within this results set» [Key](#)Display Format: [Citation](#) [Citation & Abstract](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

[Select](#) [Article Information](#)

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

1. **Concurrent transient fault simulation for analog circuits**
Junwei Hou; Chatterjee, A.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on
Volume 22, Issue 10, Oct. 2003 Page(s):1385 - 1398
Digital Object Identifier 10.1109/TCAD.2003.818129
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1035 KB\)](#) [IEEE JNL](#)

2. **A fuzzy multiple decision support for jag selection**
Wang, Y.; Elghoneimy, E.; Gruver, W.A.; Fleetwood, M.; Kotak, D.B.;
Fuzzy Information, 2004. Processing NAFIPS '04. IEEE Annual Meeting of the
Volume 2, 27-30 June 2004 Page(s):717 - 722 Vol.2
Digital Object Identifier 10.1109/NAFIPS.2004.1337390
[AbstractPlus](#) | [Full Text: PDF\(448 KB\)](#) [IEEE CNF](#)

3. **Antipole tree indexing to support range search and k-nearest neighbor search in metric spaces**
Cantone, D.; Ferro, A.; Pulvirenti, A.; Recupero, D.R.; Shasha, D.;
Knowledge and Data Engineering, IEEE Transactions on
Volume 17, Issue 4, April 2005 Page(s):535 - 550
Digital Object Identifier 10.1109/TKDE.2005.53
[AbstractPlus](#) | [Full Text: PDF\(2176 KB\)](#) [IEEE JNL](#)

4. **Automatic query generation for content-based image retrieval**
Breiteneder, C.; Eidenberger, H.;
Multimedia and Expo, 2000. ICME 2000. 2000 IEEE International Conference on
Volume 2, 30 July-2 Aug. 2000 Page(s):705 - 708 vol.2
Digital Object Identifier 10.1109/ICME.2000.871459
[AbstractPlus](#) | [Full Text: PDF\(352 KB\)](#) [IEEE CNF](#)

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE

Indexed by

ip.com™ PriorArtDatabase

September 17, 2005 USPTO Secu

Search

- [Full Text](#)
- [Concept](#)
- [Document ID](#)
- [Recent Disclosures](#)

Other

- [Prior Art Home](#)
- [Support](#)
- [Logout](#)

Fingerprint Lookup**Lookup**

Displaying records #1 through 6 out of 6

Result # 1 Relevance:

Network Time Protocol (Version 3) Specification, Implementation (RI

1992-03-01 IPCOM000002125D

... configuration [MIT80]. With respect to timekeeping accuracy and stability, the similarity of digital telephone systems is not accidental, since systems like this have been studied earlier [LIN80], [BRA80]. What makes the NTP model unique is ...

Result # 2 Relevance:

A History of the Information Processing Techniques Office of the Defense Advanced Research Projects Agency

1992-10-01 IPCOM000127913D

... of these problems with sources, we believe that, while a greater range of records might to some degree alter our description of events, the conclusions of our investigations would remain intact. Over forty interviews with principals in this history were ...

Result # 3 Relevance:

The OAKLEY Key Determination Protocol (RFC2412)

1998-11-01 IPCOM000002988D

... keys which will be used for encryption. The OAKLEY protocol is related to STS, sharing the similarity of authenticating the Diffie-Hellman exponentials and using them for determining a shared key, and also of achieving Perfect Forward Secrecy for the ...

Result # 4 Relevance:

SUBMICRON SYSTEMS ARCHITECTURE

1982-12-31 IPCOM000127926D

... paths. This test easily fits in the storage of each processor, and has a time complexity proportional to the number of processors, with a fairly small coefficient. The third and final phase of testing storage, registers, arithmetic, and other datapath components ...

Result # 5 Relevance:

A Unified Approach to Inter-Domain Routing (RFC1322)

1992-05-01 IPCOM000002144D

... process may be modeled by a function that assigns a non-negative integer to a route, called its degree of preference. Route selection applies this function to all feasible routes to a given destination and selects the route with the highest value. To provide a stable ...

Result # 6 Relevance:

Toward the PSTN/Internet Inter-Networking--Pre-PINT Implementation (RFC2458)

1998-11-01 IPCOM000003036D

... inweb. Each row contains profile of one Content Provider" INDEX { inwebSmsNumber } := { inwebContProviderTable 1 } InwebContProviderEntry := SEQUENCE {

```
inwebSmsNumber Integer32,
```

```
...
```


Displaying page 1 of 1 [<< FIRST](#) | [< BACK](#) | [NEXT >](#) | [LAST >>](#)

Search query: degree and similarity and index and log

Published Before: 5-30-2001 (Original publication date)

[New search](#) | [Modify this search](#) | [Search within current results](#)

Copyright © 2005 IP.com, Inc. All rights reserved.



Web Results 1 - 10 of about 48,600 for generating play list degree of similarity candidate items metadata.

Did you mean: generating **playlist** degree of similarity candidate items metadata

Scholarly articles for generating play list degree of similarity candidate items metadata

-  [Experience with a Combined Approach to ...](#) - by Clifton - 26 citations
- [XOO7: Applying OO7 Benchmark to XML Query Processing Tools](#) - by Bressan - 15 citations
- [Finding linking opportunities through relationship-based ...](#) - by Yoo - 6 citations

United States Patent Application: 0030221541

The **playlist** generator 104 also receives **metadata** for media **items** in the media ... a **degree of similarity** that can be employed by the **playlist generating** ... [appft1.uspto.gov/.../20030221541&RS=DN/20030221541](#) - 88k - Cached - Similar pages

IBC 2003 Conference Papers

If the **item** has been identified correctly additional **metadata** may be ... The data is then added to the **play list** files for each channel together with start ... [www.broadcastpapers.com/ibc2004/IBC04FIIcmon-print.htm](#) - 50k - Cached - Similar pages

[PDF] CONTENT-BASED BROADCAST MONITORING USING MPEG-7 AUDIO FINGERPRINTS

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 likely **candidate** for the next **play list** entry. ... compliant **metadata** entries).
 The data is then added to the **play list** files for each channel ...
[www.broadcastpapers.com/ibc2004/IBC04FIIcmon.pdf](#) - Similar pages

[PDF] Giving Music more Brains: a study in music **metadata management**

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 (U) The number of requests for **generating a play-list** at a given user base ...
 in **items** with a high **similarity**, we only store those tuples for which $s \leq k$
[www.science.uva.nl/research/ias/alumni/m.sc.theses/theses/ArjanScherpenisse.pdf](#) - Similar pages

[PDF] Experience with a Combined Approach to Attribute-Matching Across ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
items up to a subjective 'cutoff' based on the **similarity** bar chart, ...
 automatically extracted information to **generate** an initial **candidate list**; ...
[www.mitre.org/about/technical_centers/itc/about/staff/arnie/pubs/ds-7.pdf](#) - Similar pages

[PDF] Dynamic Integration and Query Processing with Ranked Role Sets ...

File Format: PDF/Adobe Acrobat
 determine **candidate** global IDS with different **degrees** of **similarity**. ... Step 3:
 Semint uses the **metadata** extracted in Step. 2 to **generate** attribute ...
[ieeexplore.ieee.org/iel3/4103/12102/00555007.pdf?arnumber=555007](#) - Similar pages

Kentuckiana Digital Library: Help

For purposes of **similar** look and feel for users, "Container List" is the recommended title. ... 4.1 The Dublin Core: An **Item Level Metadata** Element Set ...
[kdl.kyvl.org/html/kdl/guidelines.htm](#) - 188k - Cached - Similar pages

Java News from July, 2005

... than two dozen tasks of varying **degrees** of difficulty in the issue **list**. ...
A tool-agnostic set of design-time **metadata items** (with fixed names and ...
www.cafeaulait.org/2005july.html - 56k - Cached - Similar pages

Using Contextual Structure to Guide Exploratory Search


[GMA93] take a **similar** approach, using Galois lattices to represent document ...
You might therefore begin by selecting the HCI source and using **items** from ...
www.cs.ubc.ca/spider/flinn/publications/www97/PAPER251.html - 49k - Cached - Similar pages

Interface Design

However, the **list** of additional qualities would not be complete without ...
with shaded **similarity** matrices to **generate** a visualization of the **degrees** of ...
mustard.tapor.uvic.ca/cocoon/ach_abstracts/xq/xhtml.xq?id=208 - 37k - Cached - Similar pages

Did you mean to search for: generating **playlist** degree of similarity candidate items metadata

Google ►
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Katrina Resources](#) - [About Google](#)

©2005 Google



generating play list degree of similarity candid: Advanced Scholar Search
[Scholar Preferences](#) [Scholar Help](#)

"of" is a very common word and was not included in your search. [\[details\]](#)

Scholar Results 1 - 10 of about 189 for **generating play list degree of similarity candidate items metadata**

Did you mean: generating **playlist** degree of similarity candidate items metadata

Experience with a Combined Approach to Attribute-Matching Across Heterogeneous Databases

C Clifton, E Housman, A Rosenthal - DS-7, 1997 - dit.unitn.it

... Several data models **play** a role in Air Force data ... tools was to reduce the labor of **generating** the selected ... document base, and return a ranked **list** of documents ...

Cited by 26 - [View as HTML](#) - [Web Search](#) - dit.unitn.it - mitre.org - members.aol.com - all 5 versions »

XOO7: Applying OO7 Benchmark to XML Query Processing Tools

S Bressan, G Dobbie, Z Lacroix, ML Lee, YG Li, U ... - Proc. 10 thInt'l Conf. Information and Knowledge ... - comp.nus.edu.sg

... If XML is to **play** the critical role of ... **generating** new XML structures and transforming one XML structure to ... For each richer-than-average person, **list** the number ...

Cited by 15 - [View as HTML](#) - [Web Search](#)

Finding linking opportunities through relationship-based analysis

J Yoo, M Bieber - ACM 2000 Hypertext, 2000 - portal.acm.org

... design, hypermedia analysis should **play** a part ... An initial **list** could include software designers ... type into subtypes for **generating** generalization/specialization ...

Cited by 6 - [Web Search](#) - cis.njit.edu - cs.njit.edu - csa.com - all 6 versions »

Creating Personalized Video Presentations using Multimodal Processing

D Gibbon, L Begeja, Z Liu, B Renger, B Shahrray - Handbook of Multimedia Databases - vision.poly.edu

... The **degree** of smoothness depends on the order of MFCC being ... For each news story, we extract a **list** of keywords and ... The user may then view/**play** these segments. ...

Cited by 3 - [View as HTML](#) - [Web Search](#)

Improving the Quality of the Personalized Electronic Program Guide

D O'Sullivan, B Smyth, DC Wilson, K McDonald, A ... - User Modeling and User-Adapted Interaction, 2004 - kluweronline.com

... available for all users to browse, search and **play**. ... of many possible approaches to **generating** additional **similarity** ... each unique item in our **list** of recommended ...

Cited by 4 - [Web Search](#) - ingentaconnect.com - cs.pitt.edu - cin.ufpe.br - all 9 versions »

A Relationship and Navigation Analysis

J Yoo, M Bieber - cis.njit.edu

... of design, hypermedia analysis should **play** a part in ... categories, either from the **list**, or of ... for type partitions for **generating** generalization/specialization ...

[Cached](#) - [Web Search](#)

Technical Report

S BRESSAN, G DOBBIE, Z LACROIX, ML LEE - dl.comp.nus.edu.sg

... If XML is to **play** the critical role of ... **generating** new XML structures and transforming one XML structure to ... For each richer-than-average person, **list** the number ...

[View as HTML - Web Search](#)**New Services and Technologies Associated with Metadata**

K Sakanoue, J Kishigami, T Honishi, T Yoshida - ntt.co.jp

... to extract favorite scenes, and to play back a ... integrated and the system for generating, delivering, and ... and production staff; by displaying a list of scenes ...

[View as HTML - Web Search - ntt.co.jp](#)**Landscaping the information space of large multi-database networks**

MP Papazoglou, HA Proper, J Yang - Data & Knowledge Engineering, 2001 - cs.kun.nl

... 2. Locating candidate database sources that address these ... such as newsgroups, mailing list archives, etc. ... gives users the option of generating alternative terms ...

[Cited by 11 - View as HTML - Web Search - cs.ru.nl - portal.acm.org - all 7 versions »](#)**METADATA-BASED AND PERSONALIZED WEB QUERYING**

S AyseOzel - cs.bilkent.edu.tr

... scope and in quality, as a dissertation for the degree of doctor ... 4.2 Sideway Value

Generating Algebra Assume that the query poser wants to see the list of top ...[View as HTML - Web Search](#)Did you mean to search for: generating **playlist** degree of similarity candidate items metadataResult Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#) [Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google